

ERMCO TRANSFORMER STOCK - AS OF 8/3/22							
Ref#	QTY	Type	KVA	HV	TAP	LV	Description
552600.001	2	3PH-PAD	75	13800GY/7970	+/-2.5%	208Y/120	3 Phase Pad, Radial Feed, Dual Sensing Bayonet, Fixed Stud Well & Inserts, 6 Hole Spades
429408.001	1	3PH-PAD	150	11500 Delta	Taps	480Y/277	3 Phase Pad, Radial Feed, No Internal Fusing, Std Rep Stud Wells & CP Inserts, 6 Hole Spades, 11.5 Taps @ 11.8, 11.2, 10.9, 10.6
444582.001	1	3PH-PAD	150	11500 Delta	Taps	480Y/277	3 Phase Pad, Radial Feed, No Internal Fusing, Std Rep Stud Wells & CP Inserts, 6 Hole Spades, 11.5 Taps @ 11.8, 11.2, 10.9, 10.6
445107.001	1	3PH-POLE	225	22900 Delta	+/-2.5%	208Y/120	3 Phase Pole, Rect SS Tank, Std Hv Bushings, 4 Hole Spade Sec, No Fusing
446053.001	1	3PH-POLE	225	22900 Delta	+/-2.5%	208Y/120	3 Phase Pole, Rect SS Tank, Std Hv Bushings, 4 Hole Spade Sec, No Fusing
536549.001	1	3PH-PAD	500	22860GY/13200	+/-2.5%	480Y/277	3 Phase Pad, Loop Feed, Dual Sensing Bayonet, w/ELSP Backup Fuse, CP Wells & Inserts, 12Hole Spade Secondary, 2 Pos LBOR
446235.001	1	3PH-PAD	1500	12470GY/7200	NO	208Y/120	
591376.001	11	PAD	25	4160GRDY/2400	NO	240/120	Loop Feed with 200 AMP Strap
471806.001	2	Pole	10	19920/34500Y	+/-2.5%	120/240	2 BU, Conventional, Handwheel Birdguard, 15kv Cover & Band
563325.001	4	Pole	10	24940GRDY/14400	NO	120/240	1BU, Conventional, 2 Hangers
563350.001	4	Pole	10	24940GRDY/14400	NO	120/240	1BU, Conventional, 2 Hangers
570136.003	3	Pole	15	12000 Delta	NO	120	2 BU, Conventional, 1 Hanger
469892.004	6	Pole	15	12470GRDY/7200	+/-2.5%	277/480Y	1 BU, Conventional, 1 Hanger
493015.001	12	Pole	15	12470GRDY/7200	+/-2.5%	277/480Y	1 BU, Conventional, 1 Hanger
454978.004	4	Pole	15	12470GRDY/7200	+/-2.5%	277/480Y	1 BU, Conventional, 1 Hanger
611578.001	20	Pole	15	14400/24940Y	NO	240/480	2 BU, Conventional, 1 Hanger
586017.006	2	Pole	25	4800/8320Y X 7620/13200Y	NO	120/240	2 BU, 1 Hanger
556821.006	1	Pole	37	4160GRDY/2400	+/-2.5%	120/240	1 BU, CSP, Normal Duty MOV Arrester
357632.001	3	Pole	37	7200/12470Y	NO	240/480	2 BU, Conventional
538072.005	5	Pole	50	13200/22860Y	+/-2.5%	120/240	2 BU, Conventional
384951.001	2	Pole	50	13200GRDY/7620	+/-2.5%	277/480Y	1 BU, Conventional, 1 Hanger
400387.003	6	Pole	50	13800GRDY/7970	NO	277/480Y	1 BU, Conventional, 1 Hanger
403143.001	4	Pole	50	2400/4160Y	NO	120/240	2 BU, Conventional
443836.003	20	Pole	50	4800/8320Y X 7620/13200Y	NO	120/240	2 BU, CSP, 10KV Arrester, Spark Gap, IFD
364673.001	1	Pole	75	2400/4160Y	+/-2.5%	120/240	2 BU, Conventional, 3KV HD Poly MOV Arrester, 4 Hole H-Spades
418498.001	5	Pole	75	12470GRDY/7200 X 22860GRDY/13200	NO	120/240	1 BU, Conventional, 1 Hanger, 18KV Poly MOV Arrester, 4 Hole H-Spades
418498.002	2	Pole	100	12470GRDY/7200 X 22860GRDY/13200	NO	120/240	1 BU, Conventional, 1 Hanger, 18KV Poly MOV Arrester, 4 Hole H-Spades
478648.001	1	Pole	167	34500GRDY/19920	NO	120/240	1 BU, Conventional, 1 Hanger, 27KV Poly MOV Arrester, 4 Hole H-Spades
494321.001	1	Pole	250	12470GRDY/7200	+/-2.5%	277/480Y	1 BU, Conventional, 1 Hanger, 4 Hole H-Spades
608862.004	1	Pole	250	33260GRDY/19200	NO		1 BU, Conventional, 1 Hanger